

PATIENT:			ı	DATE:	
Patient profile					
Medical Diagnosis					
Reason For Referral					
Gait and Mobility Issues					
History of Present Illness					
Falls History					
Pain level (0 to 10 Score)	At rest: Dizziness:	With Al	ROM:	With Gait:	Fatigue:
Pain Increases with					
Pain Decreases with					
Pain Areas	Right	Left	Left	Right	



PATIENT:			Date:		
Home and Mobility	Aids				
Home Environment	0	House	0	stairs withof railings	
	0	Apartment	0	With elevator	
	0	Seniors Residence	0		
Social Supports	0	Married	0	Children living locally	
	0	Widowed	0	Children living away	
	0	Single	0	Housekeeper	
	0	VON or PCW	0		
Mobility Aids	0	None	0	Raised toilet seat	
	0	Cane	0	Bars for toilet	
	0	2 wheeled walker	0	M rail for bed	
	0	4 Wheeled Walker	0	Grab bars	
	0	Wheelchair	0	Bath bench	
	0	Car – driving self:Yes No	0	Emergency Call Button	
	0	Dictus / splint / sling	0	Safety Transfer belt	
Exercise	0	Please describe:	0	Equipment:	

Medications				
Alcohol use:	o Pain Cream	<ul> <li>Losartan / Cozaar (High BP)</li> </ul>		
。 None	<ul> <li>Multivitamin</li> </ul>	<ul><li>Metformin (Diabetes)</li></ul>		
<ul> <li>Occasionally</li> </ul>	○ Vitamin A B C D Omega	<ul> <li>Metoprolol (Beta Blocker /</li> </ul>		
<ul><li>Daily</li></ul>	Fish Oil	Heart)		
	<ul> <li>Extra strength tylenol</li> </ul>	o metoprolol (Toprol) Beta		
Over the counter	<ul> <li>Tylenol Arthritis</li> </ul>	Blocker		
medication	o Accupril (High BP)	<ul> <li>Paxil (Antidepressant)</li> </ul>		
。 ASA	<ul> <li>Amlopidine (Norvasc) HT</li> </ul>	<ul> <li>Plavic / Clopidogrel (Blood</li> </ul>		
<ul> <li>Tylenol Arthritis</li> </ul>	CAD, Angina	Clot/ CVA)		
<ul><li>Tylenol 3</li></ul>	<ul> <li>Aspirin Low Dose</li> </ul>	<ul> <li>Prednisone Ramipril (Altace)</li> </ul>		
<ul> <li>Multivitamin</li> </ul>	<ul> <li>Atenolol/Tenormin (Beta</li> </ul>	HT CHF		
Other medications:	Blocker)	<ul> <li>Ranitidine / Zantac (Heartburn)</li> </ul>		
	<ul><li>Atrove*nt (Breathing)</li></ul>	<ul> <li>Repaglinide (Gluconorm)</li> </ul>		
	<ul><li>Cardizem (High BP)</li></ul>	Insulin		
	<ul><li>Celebrex (pain)</li></ul>	<ul> <li>Rosuvastatin / Crestor (High</li> </ul>		
	<ul> <li>Coumadin / Warfarin (Blood</li> </ul>	Chol.)		
	clot)	<ul><li>Senokot (Laxitives)</li></ul>		
	<ul> <li>Diclofenac (Voltaren) Pain</li> </ul>	<ul><li>Sinemet (Parkinsons)</li></ul>		
	Cream	<ul><li>Syntrhoid (Thyroid)</li></ul>		
	<ul> <li>Elavil (Sleep / Antidepressant)</li> </ul>	Tramadol		
	<ul> <li>Fosamax (Osteoporosis)</li> </ul>	<ul><li>Trazadone (Antidepressant)</li></ul>		



PATIENT:		Date:
Medications (continued)	<ul> <li>Gliclazide (Diabetes)</li> <li>Hydrocholorothiazide (diuretic)</li> <li>Lasix (Fluid pill)</li> <li>Levothryoxin (Thyroid)</li> </ul>	<ul> <li>Tylenol #3</li> <li>Venlafaxine (Antidepressant)</li> <li>Xanax (Antidepressant/anxiety</li> <li>Zocor (Simvastatin) Lipid lowering</li> </ul>

Medical Conditions	Yes	In past	No	Comments
Osteoarthritis / Osteoporosis / Rheumatoid Arthritis / other rheumatologic conditions				
Cardiovascular Disease				<ul> <li>Cardiac Stress         Test orMIBI         Test</li> <li>Shortness of breath         on exertion</li> <li>Low Blood         Pressure or fainting</li> <li>Swollen ankles</li> </ul>
Diabetes Mellitus (with or without feet numb)				
Concussion or history of head injury				
Foot issues (toes crossed, skin breakdown, numbness)				
Cerebrovascular Disease or Stroke				
COPD, Asthma or Emphysema / Lung Disease				
Epilepsy or other seizure disorders				
Parkinsons Disease or tremors				
Decreased Visual Acuity or cataracts/glaucoma				Surgery for eye issues YES NO
Hearing Impairment or hearing aid (s)				
Hypothyroidism or Allergies				
Cancerwith orwithout surgery				
Depression or Anxiety Problems with sleep				Sleep Hours per night Sleep Disruptions per night



PATIENT:	Date:
Bowel or Bladder issues Urinary incontinence urgency constipation  Swallowing difficulties or choking Recurrent pneumonia	Do you rush to bathroom Y N Do you leave the lights on in bathroom Y N Problems with:_LiquidsPillsToast Has this led to weight loss:
Able to follow commands and is oriented	Y N  Knows their phone number: Y N
Dizziness  Vertigo –room spins when rolling over in bed Lightheadedness – when standing up (BP) Dysequilibrium – feeloff balance in standing Fainting – when changing position Motion sickness – when moving head, turning Recent loss of hearing–refer back to Fam. Dr.	Estimated Stage of Dementia:earlymiddlelate stage  o Trouble reading the paper o Blurred vision when turning head o Trouble keeping eyes focused ahead o problems with smooth pursuit o Problem with 5 head turns up/down o Increases with neck AROM
Surgical Implants or orthopaedic surgery	
Medical Tests / XRAYS	
Skin issues or foot impairments	